



ALMIX TWO DRUM COUNTER-FLOW DRUM PLANT - RAP-17053

SKU: RAP-17053

SKU: RAP-17053

Condition: Used

Region: East

Mobility: Stationary

Size (Nominal): Nominal 150 TPH

EQ Type: Counter-Flow Drum Plant





PRODUCT DESCRIPTION

Almix Two Drum Counter-Flow Drum Plant Nominal 150TPH +

- Model year 2007
- 76" x 25' Counter-Flow Dryer with Hauck Starjet 360 burner. combo fuel capabilities. Currently running on waste oil. Trunnion drive (4) 15hp
- Almix single tire rotary mixing drum 5' x 16' with fugitive fan system
- Right hand discharge
- Nominal 30,000+ CFM reverse air baghouse. Two turret design. Size 40" exhaust fan
- Two auger dust return 18" and 14" diameter tube augers
- 5 Bin Cold-Feed System
 - 8' x 12' openings with 24" AC drive feeders
 - 24" aggregate scale belt
 - 4' x 8' single deck aggregate screen
- Two Bin Custom Built RAP/RAS system
 - 5' x 11' opening, 24" feeder used for shingles
 - 8' x 13' opening, 36" feeder used for RAP
 - 3' x 6' single deck screen
- Almix Hot oil heater built by Heatec nominal 1.0mbtu
- Nominal 25,000-gallon Vertical AC tank coiled for oil heat
- Almix oil to oil preheater
- 2 ½" AC pump metering skid. Pump on pump design
- Three nominal 20,000-gallon horizontal fuel tanks
- Almix 150ton Asphalt Silo with safety gates and electric heat on the cone
- 24" wide main drag slat with single 6" pitch chain. Bolt in floor liners with chop gate

- B-Tek 11' x nominal 75' low-pro truck scale
- Single level 12' x 20' control house with motor control center. Almix control system. Plug in cabling